


Kensington

With a fabulous fluid form and exquisite ornate detail, this vintage radiator exudes luxury. The Kensington vintage cast iron radiator is a decoratively distinctive vintage styled cast iron radiator that echoes a bygone era. This freestanding vintage radiator has a stunning ornate scrolled detail that lends itself well to our hand-painted highlight option or an antique paint effect. The Kensington is a popular choice for a traditional refurbishment, barn or warehouse conversion, but is equally at home in a modern setting. Let the beautiful lines of the Kensington magically enhance your room.

HEIGHT (Please select your required height to view heat output and specifications)

580 750 780

CODE/ SECTIONS	LENGTH	OUTPUT				WEIGHT (KG)	WATER CONTENT (LTRs)
		Dt60		Dt50			
		BTUs	WATTS	BTUs	WATTS		
KEN-580-03	247	910	267	718	211	17	3.60
KEN-580-04	318	1214	356	958	281	23	4.80
KEN-580-05	389	1517	445	1197	351	29	6.00
KEN-580-06	460	1820	534	1437	421	34	7.20
KEN-580-07	531	2124	622	1676	491	40	8.40
KEN-580-08	602	2427	711	1916	561	46	9.60
KEN-580-09	673	2730	800	2155	632	51	10.80
KEN-580-10	744	3034	889	2395	702	57	12.00
KEN-580-11	815	3337	978	2634	772	63	13.20
KEN-580-12	886	3641	1067	2873	842	68	14.40
KEN-580-13	957	3944	1156	3113	912	74	15.60
KEN-580-14	1028	4247	1245	3352	983	80	16.80
KEN-580-15	1099	4551	1334	3592	1053	86	18.00
KEN-580-16	1170	4854	1423	3831	1123	91	19.20
KEN-580-17	1241	5158	1512	4071	1193	97	20.40
KEN-580-18	1312	5461	1601	4310	1263	103	21.60
KEN-580-19	1383	5764	1689	4550	1333	108	22.80
KEN-580-20	1454	6068	1778	4789	1404	114	24.00
KEN-580-21	1525	6371	1867	5029	1474	120	25.20
KEN-580-22	1596	6675	1956	5268	1544	125	26.40
KEN-580-23	1667	6978	2045	5507	1614	131	27.60
KEN-580-24	1738	7281	2134	5747	1684	137	28.80
KEN-580-25	1809	7585	2223	5986	1755	143	30.00
KEN-580-26	1880	7888	2312	6226	1825	148	31.20
KEN-580-27	1951	8191	2401	6465	1895	154	32.40
KEN-580-28	2022	8495	2490	6705	1965	160	33.60
KEN-580-29	2093	8798	2579	6944	2035	165	34.80
KEN-580-30	2164	9102	2668	7184	2105	171	36.00
KEN-580-31	2235	9405	2756	7423	2176	177	37.20
KEN-580-32	2306	9708	2845	7663	2246	182	38.40
KEN-580-33	2377	10012	2934	7902	2316	188	39.60
KEN-580-34	2448	10315	3023	8141	2386	194	40.80
KEN-580-35	2519	10619	3112	8381	2456	200	42.00
KEN-580-36	2590	10922	3201	8620	2526	205	43.20
KEN-580-37	2661	11225	3290	8860	2597	211	44.40
KEN-580-38	2732	11529	3379	9099	2667	217	45.60
KEN-580-39	2803	11832	3468	9339	2737	222	46.80
KEN-580-40	2874	12136	3557	9578	2807	228	48.00



01205 280354

sales@paladinradiators.com

www.paladinradiators.com

Paladin Radiators, Langrick Road,
New York, Lincolnshire LN4 4XH



Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar

Dt50 figures shown in accordance with BS EN442. We have, from experience, found that the Dt60 figures usually give adequate output without oversizing the radiators on standard heating systems. Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar. Lengths quoted are given in good faith. However, due to the nature of the manufacturing process tolerances can and should be expected. Quoted dimensions should therefore only be used as a guideline. Longer lengths are available on request.