


Kensington

With a fabulous fluid form and exquisite ornate detail, this vintage radiator exudes luxury. The Kensington vintage cast iron radiator is a decoratively distinctive vintage styled cast iron radiator that echoes a bygone era. This freestanding vintage radiator has a stunning ornate scrolled detail that lends itself well to our hand-painted highlight option or an antique paint effect. The Kensington is a popular choice for a traditional refurbishment, barn or warehouse conversion, but is equally at home in a modern setting. Let the beautiful lines of the Kensington magically enhance your room.

HEIGHT (Please select your required height to view heat output and specifications)

580 **750** 780

CODE/ SECTIONS	LENGTH	OUTPUT				WEIGHT (KG)	WATER CONTENT (LTRs)
		Dt60		Dt50			
		BTUs	WATTS	BTUs	WATTS		
KEN-750-03	247	1214	356	958	281	20	4.50
KEN-750-04	318	1619	475	1278	375	27	6.00
KEN-750-05	389	2024	593	1597	468	34	7.50
KEN-750-06	460	2429	712	1917	562	41	9.00
KEN-750-07	531	2834	830	2236	655	47	10.50
KEN-750-08	602	3238	949	2556	749	54	12.00
KEN-750-09	673	3643	1068	2875	843	61	13.50
KEN-750-10	744	4048	1186	3195	936	68	15.00
KEN-750-11	815	4453	1305	3514	1030	74	16.50
KEN-750-12	886	4858	1424	3834	1124	81	18.00
KEN-750-13	957	5262	1542	4153	1217	88	19.50
KEN-750-14	1028	5667	1661	4473	1311	95	21.00
KEN-750-15	1099	6072	1780	4792	1405	101	22.50
KEN-750-16	1170	6477	1898	5112	1498	108	24.00
KEN-750-17	1241	6882	2017	5431	1592	115	25.50
KEN-750-18	1312	7287	2136	5751	1686	122	27.00
KEN-750-19	1383	7691	2254	6070	1779	128	28.50
KEN-750-20	1454	8096	2373	6390	1873	135	30.00
KEN-750-21	1525	8501	2491	6709	1966	142	31.50
KEN-750-22	1596	8906	2610	7029	2060	149	33.00
KEN-750-23	1667	9311	2729	7348	2154	156	34.50
KEN-750-24	1738	9715	2847	7668	2247	162	36.00
KEN-750-25	1809	10120	2966	7987	2341	169	37.50
KEN-750-26	1880	10525	3085	8307	2435	176	39.00
KEN-750-27	1951	10930	3203	8626	2528	183	40.50
KEN-750-28	2022	11335	3322	8946	2622	189	42.00
KEN-750-29	2093	11739	3441	9265	2716	196	43.50
KEN-750-30	2164	12144	3559	9585	2809	203	45.00
KEN-750-31	2235	12549	3678	9904	2903	210	46.50
KEN-750-32	2306	12954	3797	10224	2996	216	48.00
KEN-750-33	2377	13359	3915	10543	3090	223	49.50
KEN-750-34	2448	13763	4034	10863	3184	230	51.00
KEN-750-35	2519	14168	4152	11182	3277	237	52.50
KEN-750-36	2590	14573	4271	11502	3371	243	54.00
KEN-750-37	2661	14978	4390	11821	3465	250	55.50
KEN-750-38	2732	15383	4508	12141	3558	257	57.00
KEN-750-39	2803	15787	4627	12460	3652	264	58.50
KEN-750-40	2874	16192	4746	12780	3746	270	60.00



01205 280354

sales@paladinradiators.com

www.paladinradiators.com

Paladin Radiators, Langrick Road,
New York, Lincolnshire LN4 4XH



Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar

Dt50 figures shown in accordance with BS EN442. We have, from experience, found that the Dt60 figures usually give adequate output without oversizing the radiators on standard heating systems. Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar. Lengths quoted are given in good faith. However, due to the nature of the manufacturing process tolerances can and should be expected. Quoted dimensions should therefore only be used as a guideline. Longer lengths are available on request.