


Oxford

Emanating feelings of love and romance, the French-inspired Oxford radiates warmth, in more ways than one. The opulent Oxford antique cast iron radiator has its origins in late 1800's France. This ornate, antique cast iron radiator boasts a smooth sweeping, scalloped top detail with an elaborate interwoven design at the feet. This freestanding, extremely heat efficient antique radiator is perfect for a more extensive period room, barn or warehouse conversion, adding enchantment and delight in abundance.

HEIGHT (Please select your required height to view heat output and specifications)

470 570 **765**

CODE/ SECTIONS	LENGTH	OUTPUT				WEIGHT (KG)	WATER CONTENT (LTRs)
		Dt60		Dt50			
		BTUs	WATTS	BTUs	WATTS		
OXF-765-03	278	2019	592	1594	467	44	8.10
OXF-765-04	359	2692	789	2125	623	59	10.80
OXF-765-05	440	3365	986	2656	779	74	13.50
OXF-765-06	521	4039	1184	3187	934	89	16.20
OXF-765-07	602	4712	1381	3719	1090	103	18.90
OXF-765-08	684	5385	1578	4250	1246	118	21.60
OXF-765-09	765	6058	1775	4781	1401	133	24.30
OXF-765-10	846	6731	1973	5312	1557	148	27.00
OXF-765-11	927	7404	2170	5844	1713	162	29.70
OXF-765-12	1008	8077	2367	6375	1868	177	32.40
OXF-765-13	1090	8750	2565	6906	2024	192	35.10
OXF-765-14	1171	9423	2762	7437	2180	207	37.80
OXF-765-15	1252	10096	2959	7969	2336	221	40.50
OXF-765-16	1333	10769	3156	8500	2491	236	43.20
OXF-765-17	1414	11443	3354	9031	2647	251	45.90
OXF-765-18	1496	12116	3551	9562	2803	266	48.60
OXF-765-19	1577	12789	3748	10094	2958	280	51.30
OXF-765-20	1658	13462	3945	10625	3114	295	54.00
OXF-765-21	1739	14135	4143	11156	3270	310	56.70
OXF-765-22	1820	14808	4340	11687	3425	325	59.40
OXF-765-23	1902	15481	4537	12219	3581	340	62.10
OXF-765-24	1983	16154	4735	12750	3737	354	64.80
OXF-765-25	2064	16827	4932	13281	3893	369	67.50
OXF-765-26	2145	17500	5129	13812	4048	384	70.20
OXF-765-27	2226	18173	5326	14344	4204	399	72.90
OXF-765-28	2308	18847	5524	14875	4360	413	75.60
OXF-765-29	2389	19520	5721	15406	4515	428	78.30
OXF-765-30	2470	20193	5918	15937	4671	443	81.00
OXF-765-31	2551	20866	6115	16469	4827	458	83.70
OXF-765-32	2632	21539	6313	17000	4982	472	86.40
OXF-765-33	2714	22212	6510	17531	5138	487	89.10
OXF-765-34	2795	22885	6707	18062	5294	502	91.80
OXF-765-35	2876	23558	6905	18594	5450	517	94.50
OXF-765-36	2957	24231	7102	19125	5605	531	97.20
OXF-765-37	3038	24904	7299	19656	5761	546	99.90
OXF-765-38	3120	25577	7496	20187	5917	561	102.60
OXF-765-39	3201	26251	7694	20719	6072	576	105.30
OXF-765-40	3282	26924	7891	21250	6228	590	108.00



01205 280354

sales@paladinradiators.com

www.paladinradiators.com

Paladin Radiators, Langrick Road,
New York, Lincolnshire LN4 4XH



Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar

Dt50 figures shown in accordance with BS EN442. We have, from experience, found that the Dt60 figures usually give adequate output without oversizing the radiators on standard heating systems. Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar. Lengths quoted are given in good faith. However, due to the nature of the manufacturing process tolerances can and should be expected. Quoted dimensions should therefore only be used as a guideline. Longer lengths are available on request.