

Shaftsbury


A Ballet inspired beauty, the Shaftsbury performs its own show with its grace and elegance. The Shaftsbury cast iron radiator is a stunning example of ornate design and intricate detail. The swirls and waves of etched beauty make it the ideal cast iron radiator for an antiqued, hand-painted or polished finish. The Shaftsbury originates from a London Ballet School, in the Victorian era, which gives rise to its delightful decadence. Distinctive and beautiful, the Shaftsbury cast iron radiator is the perfect choice for a traditional setting.



HEIGHT (Please select your required height to view heat output and specifications)

540 740

CODE/ SECTIONS	LENGTH	OUTPUT				WEIGHT (KG)	WATER CONTENT (LTRs)
		Dt60		Dt50			
		BTUs	WATTS	BTUs	WATTS		
SHAF-540-03	313	1045	306	825	242	21	3.60
SHAF-540-04	406	1394	408	1100	322	28	4.80
SHAF-540-05	499	1742	511	1375	403	36	6.00
SHAF-540-06	591	2091	613	1650	484	43	7.20
SHAF-540-07	684	2439	715	1925	564	50	8.40
SHAF-540-08	777	2787	817	2200	645	57	9.60
SHAF-540-09	870	3136	919	2475	725	64	10.80
SHAF-540-10	963	3484	1021	2750	806	71	12.00
SHAF-540-11	1056	3833	1123	3025	887	78	13.20
SHAF-540-12	1149	4181	1225	3300	967	85	14.40
SHAF-540-13	1242	4530	1328	3575	1048	92	15.60
SHAF-540-14	1335	4878	1430	3850	1128	99	16.80
SHAF-540-15	1428	5227	1532	4125	1209	107	18.00
SHAF-540-16	1520	5575	1634	4400	1290	114	19.20
SHAF-540-17	1613	5923	1736	4675	1370	121	20.40
SHAF-540-18	1706	6272	1838	4950	1451	128	21.60
SHAF-540-19	1799	6620	1940	5225	1531	135	22.80
SHAF-540-20	1892	6969	2042	5500	1612	142	24.00
SHAF-540-21	1985	7317	2145	5775	1693	149	25.20
SHAF-540-22	2078	7666	2247	6050	1773	156	26.40
SHAF-540-23	2171	8014	2349	6325	1854	163	27.60
SHAF-540-24	2264	8362	2451	6600	1934	170	28.80
SHAF-540-25	2357	8711	2553	6875	2015	178	30.00
SHAF-540-26	2449	9059	2655	7150	2096	185	31.20
SHAF-540-27	2542	9408	2757	7425	2176	192	32.40
SHAF-540-28	2635	9756	2859	7700	2257	199	33.60
SHAF-540-29	2728	10105	2961	7975	2337	206	34.80
SHAF-540-30	2821	10453	3064	8250	2418	213	36.00
SHAF-540-31	2914	10801	3166	8525	2499	220	37.20
SHAF-540-32	3007	11150	3268	8800	2579	227	38.40
SHAF-540-33	3100	11498	3370	9075	2660	234	39.60
SHAF-540-34	3193	11847	3472	9350	2740	241	40.80
SHAF-540-35	3286	12195	3574	9625	2821	249	42.00
SHAF-540-36	3378	12544	3676	9900	2902	256	43.20
SHAF-540-37	3471	12892	3778	10175	2982	263	44.40
SHAF-540-38	3564	13240	3881	10450	3063	270	45.60
SHAF-540-39	3657	13589	3983	10725	3143	277	46.80
SHAF-540-40	3750	13937	4085	11000	3224	284	48.00



01205 280354

sales@paladinradiators.com

www.paladinradiators.com

Paladin Radiators, Langrick Road,
New York, Lincolnshire LN4 4XH



Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar

Dt50 figures shown in accordance with BS EN442. We have, from experience, found that the Dt60 figures usually give adequate output without oversizing the radiators on standard heating systems. Maximum test pressure = 3.3 bar | Maximum working pressure = 2.5 bar. Lengths quoted are given in good faith. However, due to the nature of the manufacturing process tolerances can and should be expected. Quoted dimensions should therefore only be used as a guideline. Longer lengths are available on request.